



VILLAGE OF AMITYVILLE

BID 16-A-01

AMITYVILLE FIRE DEPARTMENT

Emergency Vehicle Remount

SECTION I

Notice to Bidders

Instruction to Bidders

Information to Bidders

Immunity Clause

NOTICE TO BIDDERS

The Village of Amityville's Administrator/Clerk will receive sealed proposals for:

BID 16-A-01: Emergency Vehicle Remount

until 10 am on Monday, April 4th 2016 at Village Hall, 21 Ireland Place, Amityville, New York 11701 at which time they will be publicly opened and read. Bids may be hand delivered or mailed to the above address. No proposals will be accepted after 10 am on the date of bid opening. **NO EXCEPTIONS WILL BE GRANTED.** Do not remove any pages, all proposals are to be submitted intact.

The contract documents may be examined and obtained at Village Hall between the hours of 9 am and 3 pm daily except Saturdays, Sundays and holidays on and after Wednesday, March 23rd, 2016. The Village of Amityville reserves the right to reject any and all bids in whole or part, to waive any informality in any or all bids, and to accept the bid or part thereof which it deems favorable to the Village after all bids have been examined and checked. No bid shall be withdrawn for a period of forty-five (45) days after being publicly opened and read. In the event bids are rejected and/or no bids are received, the Village Administrator/Clerk is authorized to re-advertise for bids upon direction from the Board of Trustees.

The Village of Amityville encourages minority and women-owned businesses to participate in all bids.

NOTE: The Village will not reimburse any firms for any costs associated with the preparation of this bid proposal.

By Order of the Board of Trustees
Dina Shingleton
Clerk/Treasurer
March 18, 2016

INSTRUCTION TO BIDDERS

PROJECT NAME

Amityville Fire Department
Emergency Vehicle Remount
55 West Oak Street
Amityville, New York 11701

PROPOSALS

Tenders shall be made on the proposal blanks provided, enclosed in a sealed envelope and addressed to the Village of Amityville, 21 Ireland Place, Amityville, NY 11701 and shall contain the job name on the lower left hand corner of the envelope. All blanks shall be completely filled with the total cost of the job stated in figures and in writing. Failure to observe this ruling shall cause rejection of the proposal.

TENDERING

All bids are due Monday, April 4th 2016 at 10 am at Village Hall, Village of Amityville, 21 Ireland Place, Amityville. Bidder shall make allowance for delay in mailing, or preferably see his bid delivered personally on or before Monday, April 4th 2016 by 10 am. ***No proposals will be accepted after 10 am - no exceptions will be granted.***

AWARDS

Proposals will be awarded only with the approval of the Board of Trustees. The Village reserves the right to reject any and all proposals.

INSURANCE

Contractors are required to have insurance policies that reflect coverage as set out in the Insurance Requirements.

SUBCONTRACTORS

All subcontractors must be noted on the list of subcontractors. If no subcontractors will be used, the word NONE shall appear in the area for subcontractors names.

PERMITS

The contractor is responsible for securing all permits and the payment of any fees associated with those permits. The contractor will perform all work in a professional manner and will conform to all rules and regulations of the Village of Amityville whether or not mentioned in the specifications.

LIENS

All liens, payments, etc. shall be satisfied before the contractor applies for the final payment. The contractor shall furnish proof of the above to the Village.

INFORMATION FOR BIDDERS

Section 1. Form of Bid

All bids must be made only upon the blank form provided marked Bid Page. All blank spaces must be filled in, in ink, and must give the price for each item and the aggregate amount for the work both in words and figures and must be signed and acknowledged by the Bidder.

In the event of discrepancies between the prices quoted in the Proposal in words and those quoted in figures, the words shall control. The prices are to include the furnishing of all materials, equipment, tools and all other facilities, and the performance of all labor and services necessary or proper for the completion of the work, except such as may be otherwise expressly provided in the Contract Documents.

Section 2. Omissions and Discrepancies

Should a Bidder find discrepancies in, or omissions from the Contract Documents, or should he be in doubt as to their meaning, he should at once notify the Village Clerk, who may notify all Bidders.

No oral interpretation shall be made to any bidder as to the meaning of any of the Contract Documents. Every request for interpretations shall be in writing to the Village Clerk.

Section 3. Rejection of Bids

The Village reserves the right to reject any or all bids. Without limiting the generality of the foregoing, any bid which is incomplete, obscure, irregular or qualified may be rejected; any bid having erasures or corrections in the Proposal or any bid in which the unit prices are omitted or obviously unbalanced may be rejected; any bid submitted by a bidder who fails to satisfy the Village that he is properly qualified to carry out the obligations of the Contract or to complete the work contemplated therein may be rejected.

Section 4. Determination of Low Bidder

Except where the Village exercises the right reserved herein to reject any or all bids and contingent upon the availability of funds the Contract will be awarded to the lowest responsible bidder as determined by the Village Board and according to the category or categories selected by the Village Board.

Section 5. Acceptance of Proposals

The acceptance of the bid will be a notice in writing signed by the Village and shall bind the successful bidder to execute the Contract. The Village, however, reserves the right to postpone the date for presentation and opening of bids and will give telegraphic notice of any such postponement to each prospective bidder.

Information for Bidders – cont'd.**Section 6. No Misunderstanding**

The attention of persons intending to make proposals is specifically called to agree to examine the Contract Documents and the site of the work and has fully informed himself by his personal examination of the same regarding the quantities, character and location and other conditions affecting the work to be performed. Particular attention is called to special notes and specifications in the proposal which may contain Contract Requirements at variance with standard plans and specifications.

BIDDERS SPECIAL NOTE

All pages of this contract document are to be filled out completely. On any of these pages that do not apply to the bidder, the bidder must indicate that the page does not apply by printing *Does Not Apply, Not Applicable, N/A, etc, and then date and initial the page*. All pages of this contract must be completed or the bid may be rejected.

IMMUNITY CLAUSE

In accordance with Sections 103-A and 103-B of General Municipal Law, upon the refusal of a person to sign a waiver of immunity against subsequent criminal prosecution or to answer any relevant question when called before a grand jury, head of state department, temporary state commission, organized crime task force in the department of law or other state agency, which is empowered to compel attendance of witnesses and examine them under oath to testify concerning this contract, such person and any firm, partnership or corporation of which he is a member, partner, director or officer, shall be disqualified from thereafter selling to or submitting bids to, or receiving awards from, or entering into any contracts with the Village of Amityville, its departments, agencies or officials, with such person, and with any firm, partnership, or corporation, of which he is a member, partner, director or officer, without incurring any penalty or damages. However, any monies owing for goods delivered or work done prior to cancellation shall be paid. This condition shall be further subject to any other provisions or subsequent amendments to Section 103-A and 103-B of the General Municipal Law.

SECTION II

BID SPECIFICATIONS

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

1. EXCEPTIONS:

Bidder Complies YES ___ NO ___

Bidders offering "equal or better" equipment must provide detailed engineering data to substantiate their claims. For each exception taken, the bidder must include a detailed description of what he intends to furnish as itemized in these specifications. All exceptions shall be listed by page number and noted on an exception sheet, which is to be attached to your proposal. Bids offering "equal or better" equipment, which are not in full compliance with these specifications and does not provide with supporting documentation for evaluation by this organization, may be rejected. Bids taking total exception to these specifications may be rejected.

2. CERTIFICATIONS & QUALIFICATION REQUIREMENTS:

Bidder Complies YES ___ NO ___

Bidders must furnish all information requested and in the space provided on the bid form. In addition, bidders shall provide a copy of their remount manufacturers' (or their own of remount will be completed in house) CURRENT QVM certificate, NFPA certification, and NTEA certification. This documentation is a requirement, and not an option. It must be provided to show your company's ability to convert and up fit this emergency vehicle and to allow this organization to easily compare your proposal to these specifications and other proposals. The proposal you submit must be in the same format, and in the same order, as what is enclosed in this package. Bids not meeting all of these requirements will be considered non-responsive and may be rejected.

3. TESTING:

Bidder Complies YES ___ NO ___

This organization reserves the right to test the products and equipment being bid for quality and compliance with this specification. Tests shall be made on a similar vehicle as called for in this specification. Should the equipment fail to meet the requirements or be unavailable for evaluation the bid is subject to rejection.

4. WARRANTY:

Bidder Complies YES ___ NO ___

All of the existing liability insurances, electrical and structural warranties that are current and still in effect by the existing ambulance manufacturer must stay completely intact by the original manufacturer of the ambulance when the vehicle is remounted. Bidder shall furnish all data pertinent to the warranties or guarantees, which may apply to the items required by this specification. In the event of a conflict between the specifications and the delivered product, these specifications will govern. Products provided by the bidder for this contract shall conform to the standards established by the U.S. Government, CFR29 Sect. 571, and other standards under the Occupational Safety and Health Act (OSHA) of 1970. In the event that the product delivered does not conform to these standards, where applicable, this organization reserves the right to return the product for correction or replacement at the bidder's expense.

All bidders must include copies of the manufacturers' standard body warranties as well as a certification from the original ambulance manufacturer that they are certified and qualified to complete this remount project and that the all liability insurance and original warranties that are currently still intact will not be void if your firm is awarded the remount project.

Warranties currently intact at a minimum are Lifetime Structural, Lifetime Electrical (excluding multiplex components) and 10,000,000.00 Liability Insurance. There shall be provided a minimum of a THREE (3) year warranty on all of the remount work performed not covered under the OEM warranties. All warranties **MUST Cover 100% Parts and Labor** for the time period of which they are in effect. NO Pro-Rated warranties will be acceptable. All warranties are to be from the manufacturer and not from the selling agent unless they are the same. Bids not meeting **ALL** of these requirements will be considered non-responsive and may be rejected

5. QUALITY ASSURANCE:

Bidder Complies YES ___ NO ___

It is not the intent of these specifications to call for an unusual or experimental project. Nor is it the intent of the purchasing agency to accept such proposals. As proof of the ability to complete the project as called for in these specifications, the manufacturer/up fitter of the project being bid must include a list of at least fifty (50) agencies within the past five (5) years who have had this type of project completed by the manufacturer/up fitter. Lists must include name, address, and phone numbers of the purchaser.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

6. ASSIGNMENT: Bidder Complies YES ___ NO ___

The successful bidder may not assign, sell or otherwise transfer this contract without written permission from this agency.

7. NON COLLUSIVE BIDDERS STATEMENT: Bidder Complies YES ___ NO ___

By signing this bid, the bidder agrees that this bid is made without any understanding, agreement, or connection with any other person, firm, or corporation making a bid for the same purpose, and that this bid is in all respects fair and without collusion or fraud. Bidder must include a non-collusive certificate.

8. PRODUCT LIABILITY INSURANCE: Bidder Complies YES ___ NO ___

All bidders must have proof of their represented converters (if not same) product liability insurance with coverage of at least \$5,000,000.00 in effect on the date this bid is submitted and also at the time that the Emergency Medical Vehicle is accepted. A copy of the valid insurance binder naming this agency as the insured must be included with this bid.

If the bidder is not the manufacturer than the bidder must also submit proof of product liability insurance in effect on the date this bid is submitted and also at the time that the Emergency Medical Vehicle is accepted. A copy of the valid insurance binder naming this agency as the insured must be included with this bid.

9. WORKERS COMPENSATION INSURANCE: Bidder Complies YES ___ NO ___

All bidders must provide a valid Certificate of Workers Compensation Insurance with their proposal. This certificate MUST name this organization as the certificate holder. The policy MUST cover ALL employees of the bidding agency including but not limited to service technicians, sales representatives and vehicle transporters. The policy must cover the entire obligation of the bidder (also known as the policyholder) for workers compensation under the New York Workers' Compensation Law with respect to all operations in the state of New York. Bidders failing to submit proof of this insurance requirement cannot be accepted and will be rejected.

10. LICENSING - NYS AUTO DEALER: Bidder Complies YES ___ NO ___

Bidder must be a legally licensed New York State Automobile Dealer. Bidders shall include a copy of the valid New York State license with the bid documents and a photo of their placard displayed at their place of business. Failure to provide proof of licensing shall deem the bid non-responsive and may be rejected. Bidder must also be the franchise dealership for the product being bid. Bids and/or licenses from facilities which represent a non-franchised dealer and/or a sub dealer and/or an independent factory representative, may be rejected.

10a. LICENSING - NYS AUTO REPAIR SHOP: Bidder Complies YES ___ NO ___

Bidder must be a legally licensed New York State Automobile Repair Shop. Bidders shall include a copy of their valid New York State repair shop license with the bid documents and a photo of their placard displayed at their place of business. Failure to provide proof of licensing shall deem the bid non-responsive and may be rejected. Bidder must also be the franchise dealership for the product being bid. Bids and/or licenses from facilities which represent a non-franchised dealer and/or a sub dealer and/or an independent factory representative, may be rejected.

10b. LICENSING - NYS INSPECTION STATION: Bidder Complies YES ___ NO ___

Bidder must be a legally licensed New York State Heavy Truck Inspection Station and diesel emissions inspection station. Bidders shall include a copy of their valid New York State heavy truck inspection station license and diesel emissions inspection station certification with the bid documents and a photo of their placards displayed at their place of business.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

Failure to provide proof of licensing shall deem the bid non-responsive and may be rejected. Bidder must also be the franchise dealership for the product being bid. Bids and/or licenses from facilities which represent a non-franchised dealer and/or a sub dealer and/or an independent factory representative, may be rejected.

11. LETTER OF AUTHORIZATION TO BID & SERVICE: Bidder Complies YES ___ NO ___

All bidders must submit a letter from their respective remount manufacturer authorizing the said bidder (NOT sub-contractor) to bid, sell and service on behalf of the said manufacturer. Bidders failing to submit proof of this requirement cannot be accepted and may be rejected

12. DELIVERY: Bidder Complies YES ___ NO ___

The bidder shall specify the number of calendar days, after the award of the contract, in which the ambulance will be completed. Since delivery proposals by the bidder will weigh heavily in the determination of this bid award, the delivery schedules that are being submitted by the bidder will automatically become binding upon the award of this contract to the successful bidder. The bidder or remounter will not be held liable for delay in delivery caused by floods, accidents, strikes, or any events not subject to its control. The completed remount of the Emergency Medical Vehicle must be made available for inspection by the purchaser at the remount facility if said inspection is desired. Upon inspection completion and/or completion of the remount final delivery will be made by the bidder to this agency's headquarters. The vehicle being remounted must be completed within 75 days of its receipt at the remount facility by the purchaser and/or must be completed within a maximum of 180 days after receipt of award. The completed vehicle must include a full tank of fuel.

13. SERVICE: Bidder Complies YES ___ NO ___

Bidder must be the owner/operator of a fully staffed parts/service facility. This facility must be the authorized warranty center for the product being bid. Said facility must be within a maximum of 20 miles of user's headquarters. As proof of a factory certified service center and qualified technicians this organization may require the bidder to produce a factory certification for their service center. The service center must be a current certified "Automotive Standard of Excellence" ("ASE") facility.

There must be a minimum of (3) full time ASE/EVT certified technicians and a minimum of (6) full time EVT certified technicians. In the event that the vehicle is out of service and/or unable to be driven and/or unsafe to drive, the bidder must also provide 24 hour on-site road service with a minimum of (3) fully stocked and capable service vehicles. The onsite technicians must meet the same qualifications as the criteria required above. The bidder must also be able to provide owner/operated towing with a minimum of (5) vehicles capable of towing an emergency vehicle of this size.

In addition to an authorized and trained service center the bidder must also have under its own employ and ownership a factory trained and certified paint and body repair shop. Any paint/body repairs both warranty and non-warranty must not void and/or change the original manufacturer's warranty unless said warranty improves OEM warranty.

The bidder must have a 24-hour emergency on call service. This service must provide the end user with a live person to speak with, and cannot rely on cell phones, pagers, answering machines, or phone paging systems.

NOTE: All requirements above must be able to be meet in order for you bid to be considered. No sublet or sub-contracted work including but not limited to towing and/or paint/body work will be permitted. All facilities being used for said service(s), all road service vehicles and tow trucks must be owned/operated by the bidder and all technicians must be under full time employ by the bidder, no exceptions.

All bidders must submit photos of parts department, service center, service vehicles and tow trucks, no exceptions. If requested photos are not submitted with the bid package your bid may be rejected.

Chassis related repair work is to be performed by the chassis dealership chosen by this organization.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

14. FACTORY FINAL INSPECTION TRIP(S): Bidder Complies YES ___ NO ___

Two (2) inspection trips to the remount manufacturing facility shall be included in the bid price. The inspection trips shall be made during regular business hours during the week. This will be required so that the entire crew is available for questions or to make any needed modifications. Trips shall be timed as one (1) trip for Pre-Construction and (1) for Final Inspection

The inspection trips shall be set up for six (6) representatives per trip. A representative of the local dealer must be part of each trip. The trips shall include air transportation and lodging if the trip is in excess of 100 miles one way. All Meals for the length of each of the trips will be included. These inspections are a requirement and not an option and must be included as a part of the bid price and not a separate line item. No Exceptions.

14b. TRANSPOSITION OF VEHICLE TO REMOUNT FACILITY: Bidder Complies YES ___ NO ___

It is the bidder's responsibility to get the vehicle to be remounted transported to the remount facility. This includes any towing that may be required due to the vehicle not being able to be driven.

15. BID GUARANTEE: Bidder Complies YES ___ NO ___

All bidders are required to furnish with their bid a surety bond in the amount of twenty percent (20%) of the total bid price. The surety bond must be provided by the primary bidder only, no exceptions. Surety must be provided in the form of a bond only, any surety in the form of a cashier's check, certified check or money order will be considered non-responsive and may be rejected.

If the manufacturer meets the criteria outlined in this specification as the primary bidder, and is submitting a bid directly, manufacturer's surety bonds will be accepted. If a manufacturer's local franchised dealership or agent is the primary bidder a surety bond must be supplied by the local dealership or agent, not the manufacturer. NO EXCEPTIONS.

16. PERFORMANCE BOND OPTION: Bidder Complies YES ___ NO ___

The successful bidder shall furnish UPON REQUEST a 100% performance bond at contract signing. The performance bond must be provided by the successful bidder and is not to be part of the bid price; rather all bidders are to advise the cost of such bond if it is so desired by the purchaser.

If a manufacturer's local franchised dealership or agent is the primary bidder the performance bond must be supplied by the local dealership or agent, not the manufacturer. NO EXCEPTIONS.

The contract for this vehicle will be directly with the primary bidder and therefore, this agency will only accept the performance bond as part of the contract with the successful bidder. NO EXCEPTIONS. Any bond issued shall be by a company authorized to do business under the laws of this state.

Cost to add optional performance bond: \$ _____

17. QUALIFIED VEHICLE MODIFIER: Bidder Complies YES ___ NO ___

It is the requirements of this organization to have the most qualified re-mounter complete this project. It is for this reason that only re-mounters that are Currently QVM CERTIFIED will be considered.

18. FORD AUTHORIZED WARRANTY CENTER: Bidder Complies YES ___ NO ___

In order to allow for ease of repairs and to minimize potential divided responsibilities, the remounter that is to complete this project MUST be a FORD Authorized Warranty Center.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

19. MANUFACTURING/UPFITTER FACILITY & LOCATION: Bidder Complies YES ___ NO ___

This agency requires that the manufacturer/re-mounter be a 100% American owned company. American owned defines the manufacturer as well as any equity owners of the manufacture as headquartered with the United States of America. In addition the manufacturing facility must be within the United State of America. Any proposals submitted for vehicles built outside of the United States of America may be rejected. NO EXCEPTIONS.

20. LOANER VEHICLE: Bidder Complies YES ___ NO ___

As part of the requirements to be considered for this project a loaner ambulance must be available when the project starts. A loaner ambulance is described as a used ambulance that is owned as a result of a trade in, or similar. The used ambulance would be in operating condition and be considered safe to go back into service as a patient carrying emergency transport vehicle.

This vehicle would be made available until the project is completed. The Agency would be responsible for all-loose equipment, supplies, radios, routine maintenance, as well as insurance and registration while in their possession. The Agency will be responsible for the full used vehicle replacement cost. The replacement cost would be agreed on with all parties before the vehicle is put into service. This requirement must be able to be met and will be exercised at the discretion of this agency.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

BIDDER: (As specified earlier to be qualified as the bidder you must have a current dealer and repair shop license within the state of New York)

Printed & Signed: _____ Title: _____

Company: _____

Address: _____

Telephone: _____

Experience:

- Date of bidders' incorporation is _____
- Number of years' experience the bidder has in the design and delivery of Emergency Vehicles is _____.
- As required previously in the bid specifications, the Bidder is a licensed NYS Auto Dealer Y__ N__;
- License Number: _____; Expiration Date: _____

NOTE: The dealer's license must be for the bidding agent and cannot be for a master dealer, a sub dealer or the manufacturer, unless they are the bidder. (Copy of license **must be included with bid documents** or your bid will be considered non responsive and may be rejected)

SERVICE CENTER:

- Does the bidder employ full time mechanics and service technicians certified by the manufacturer to repair the vehicle body being bid? Y__ N__
- How many technicians are employed that are certified for this type of repair work? _____
- How many technicians are ASE certified? _____
- How many technicians are EVT certified? _____
- Does the bidder provide pick on site service (as needed) for ALL body related service items? Y__ N__
- Does the bidder provide owner/operated towing? Y__ N__
- Distance in mileage to nearest service center: _____
- Does the bidder rely on sublet service centers NOT owned and operated by the bidder for service? Y__ N__
- Does the bidder have a 24-hour emergency call service with a live person to answer, (Not relying on cell phones/pagers or answering machines) Y__ N__;
- Telephone Number of Call Service: _____
- As required previously in the bid specifications, the Bidder is a licensed NYS Auto Repair Shop Y__ N__
- Auto Repair Shop License Number: _____; Expiration Date: _____
- As required previously in the bid specifications, the Bidder is a licensed NYS Diesel Emissions Inspection Station Y__ N__
- Diesel Inspection Station License Number: _____; Expiration Date: _____
- As required previously in the bid specifications, the Bidder is a licensed Heavy Truck Inspection Station Y__ N__;
- Heavy Truck Inspection License Number: _____; Expiration Date: _____

NOTE: ALL licenses as submitted MUST be for the bidding agent and cannot be for a master dealer, a sub dealer or the manufacturer, unless they are the bidder. (Copy of licenses **must be included with bid documents** or your bid will be considered non responsive and may be rejected)

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

PAINT & BODY SERVICE CENTER:

- Is the paint and body shop bidder owner/operated? Y__ N__
- Has the paint & body shop been certified by the manufacturer to perform paint and/or body work, both warranty and non-warranty related? Y__ N__
- Is the paint and body shop within the same building as the service center? Y__ N__
 - If not within the same building distance in mileage to nearest paint & body service center:

MANUFACTURER (Also Known As "Remounter") OF PROJECT: (As specified earlier the manufacturing facility and ownership MUST be within the United States of America)

Contact: _____ Title: _____

Company: _____

Address: _____

Telephone: _____

- Distance in miles from this agency headquarters to manufacturing facility: _____ miles
- Year of incorporation is _____.
- Number of years' experience the bidder has in the design and building of Emergency Vehicles is _____
- Number of years' experience the bidder has been remounting emergency vehicles of this type and size _____
- Number of remounts completed in the past five (5) years: _____
- Number of Horton bodies remounted in the past five (5) years: _____
- Number of years' under current ownership _____
- Number of ownership changes within the past twenty five (25) years _____
- Is this manufacturer or has this manufacturer within the past twenty five (25) years been under investigation by any state Department of Health agency and/or any federal agency for any inconsistencies and/or deficiencies including but not limited to structural or electrical failure(s)? Y__ N__.
- If yes you must disclose the issue(s) within this bid package even if listed separately. If you are not sure you are required to ask the question of the manufacturer you are submitting a bid for. If answer is found to be untrue your bid may be rejected.

MANUFACTURER SERVICE CENTER:

- Does the manufacturer employ mechanics and service technicians trained to repair the entire vehicle (including but not limited to the chassis and body conversion) being bid? Y__ N__
- Does the manufacturer rely solely on sublet service centers NOT owned and operated by themselves for service? Y__ N__
- Does the manufacturer have a 24-hour call service, NOT relying on personal cell phones and/or pagers? Y__ N__

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

BID PAGE:

The purchaser reserves the right to reject any and all bids and waive any informality therein and to accept any bid that is in the best interest of the purchaser. The purchaser also reserves the right to purchase the apparatus which, in its opinion, is best suited for its needs, and not necessarily the lowest bidder.

This agency is looking for pricing on a current model 2016 or newer Ford E-450 Chassis only.

Total Bid Price Delivered (IN NUMBERS): \$ _____

Total Bid Price Delivered (IN WORDS): _____

NOTE: A cover letter is required with your proposal and at a minimum must clearly list what if any discounts, concessions and/or prepayment options maybe available and/or included in the above listed bid price. The cover letter must clearly show the base bid price as specified including all options, it must list any included discount and/or concessions and list an adjusted bid price that is to match above. There shall also be listed any discount and/or concession that are not included in the above price.

All bids must conform to the attached specifications. Alternate bids have not been requested by this agency and will be not, be considered. Please have a Company Official sign in ink in the space provided below. Unsigned bids will be considered incomplete and may be rejected. It is agreed, by the undersigned bidder that the signing of this bid represents the bidders' acceptance of the terms and conditions of the attached specifications and provisions. Unless otherwise stated by the bidder, signing of this bid represents full acceptance of these specifications as written and the bidder will be responsible for providing this equipment exactly as specified. The bidder further agrees that this bid will be valid and firm for a minimum of forty five (45) calendar days after the date of the bid opening.

COMPLIANCE:

Are You In 100% FULL Compliance with ALL Aspects of the Bid Specifications and ALL requirements as Written? Y___ N__.

- (**Note** – FULL compliance means NO Exceptions, meeting each requirement 100% as written and having the ability to provide samples and/or demos of components and/or vehicles that are 100% as specified within.)

If Not in Full Compliance How Many Exceptions Have Been Taken _____

If you are not in 100% full compliance than a separate sheet or sheets must be submitted explaining your exception(s) in detail. In addition to your explanation a complete set of detailed construction and option specifications explaining how you are proposing to construct this emergency vehicle MUST be included. Not complying with these requirements may cause your bid to be rejected, NO EXCEPTIONS

Delivery:

Proposed delivery of completed project: _____.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

FORD F-450 CHASSIS

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

CHASSIS SPECIFICATIONS

Bidder Complies YES ___ NO ___

2016 TYPE III E-450 158" W.B. – FORD

2016 Ford E-450 Super Duty Cutaway Cab and Chassis (GAS)
Wheelbase 158" CA 100"
G.V.W. 14,500 lbs.

Powertrain/functional:

Engine: 6.8L Electronic Fuel Injected Triton V10 Gasoline Engine
305 HP / 420 ft.-lb. torque
Engine Block Heater

Transmission:

Ford TorqShift Five Speed Automatic Transmission
Auxiliary Trans Oil Cooler; Oil to Air and In-tank

Front Axle 5,000 lbs. Twin I Beam
Rear Axle 9,500 lbs. Dana 10.75" IID

Brakes: Four-wheel disc
Four-wheel anti-lock brake system (ABS)
Parking Brake Foot Operated, push to apply, pull release lever to Disengage

Fuel Tank - 55 gallons aft of rear axle

Suspension:

Front Springs 5,000 lbs
Rear Springs 9 600 lbs
Stabilizer Bar, front and rear
Shock Absorbers - Heavy Duty, front & rear
Steering: Power, Ford XR-50 I.I.D. Gear

Interior/Exterior Appearance Upgrade

Air Conditioning
Power Door Locks and Windows
Chrome front bumper and grille
Daytime Running Lights
Dual Seal Beam, fixed-lens headlamps
Dual cloth captains chairs
Color keyed carpeting & headliner
Color keyed cloth sun visor
Dual Electric Horns
Mirrors - Power Adjust/Manual Telescoping Trailer Tow
Light & Convenience Group
Interval windshield wipers
Gauges: Voltmeter, Oil Pressure, Temperature, Trip Odometer, Tachometer
Speed Control & Tilt Steering Wheel
AM/FM Radio w/CD/Clock
Message Center in Dash

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

Ambulance Prep Package 47A
225 Amp Heavy Duty Alternator
(1) 650 and (1) 750 CCA Heavy Duty Batteries
4:56 Rear Axle Ratio Limited Slip
Auxiliary Heater - A/C Connector Package
ETM52 Electronic Throttle control

Safety/Security:
Airbag - driver and front passenger
Safety belts - medium flint with height adjustable D-ring

Tires: LT225/75R 16E (six) All Season
Spare Tire: LT225/75R 16E All Season
Steel Valve Stems
Wheels: 8 hole 16" x 7" Steel - painted white

Exterior Color: Oxford White #YZ
Interior Color: Medium Flint

FILL FUEL TANK: Bidder Complies YES ___ NO ___

The fuel tank shall be filled at the time of vehicle delivery.

CHASSIS EQUIPMENT

STAINLESS STEEL WHEEL INSERTS: Bidder Complies YES ___ NO ___

High Quality "Phoenix" or equal polished stainless steel light duty wheel inserts shall be installed on all four wheels, front and rear.

FRONT STABILIZER BAR: Bidder Complies YES ___ NO ___

A heavy duty "IPD" Roadmaster front stabilizer bar with new end links shall be installed to improve handling of the vehicle. The bar shall be completely bolted and meet all the criteria of Ford QVM for mounting equipment to Ford frame rails. Any installation which includes drilling of welding to the vehicle frame flanges shall be cause for immediate rejection of bid due to potential frame cracks and warranty problems.

REAR STABILIZER BAR: Bidder Complies YES ___ NO ___

A heavy duty "IPD" Roadmaster rear stabilizer bar shall be installed to improve handling of the vehicle. The bar shall be completely bolted and meet all criteria of Ford QVM for mounting equipment to Ford frame rails. Any installation which includes drilling or welding to the vehicle frame flanges shall be cause for immediate rejection of bid due to potential frame cracks and warranty problems.

RUBBER MUD FLAPS: Bidder Complies YES ___ NO ___

Rubber mud flaps shall be provided behind the rear wheels of the vehicle. They shall be Light Duty Truck type and bolted to the inner fender liners of the modular body, behind the rear tires.

CAB FLOOR MATS: (RUBBER) Bidder Complies YES ___ NO ___

High Quality Rubber floor mats shall be installed in both the drivers and passenger side of the cab. The mats shall be custom shaped and made to fit the exact vehicle, rectangular or generic mats are not acceptable. The color shall match the vehicles interior colors.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

FRONT END ALIGNMENT:

Bidder Complies YES ___ NO ___

The New Chassis front end shall be checked and adjusted as needed for proper caster, camber and toe alignment. Clear Vision will be set as required. This will be performed after the ambulance body is mounted and the vehicle is ready for delivery.

**GPS NAVIGATIONAL SYSTEM, A/V - DVD/GPS,
w/BACK-UP CAMERA:**

Bidder Complies YES ___ NO ___

A Kenwood Excelon in dash Audio Video/navigation system shall be installed in place of the OEM radio. The system shall include an integrated Back-up camera

BODY REMOUNT SPEC

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

STANDARD REMOUNT INFORMATION

Existing Body Manufacturer is PL Custom

EXISTING ORIGINAL VEHICLE INFORMATION:

Chassis Make/Year: 2006 Ford E-450
Body Make/Model: PL Medallion
Mfr. Body Number: 06-2252
VIN: 1FDXE45P66DA53103
Current Mileage: 85,934.8 (10.5.2015)

VEHICLE CHECK IN: Bidder Complies YES ___ NO ___

- The vehicle will be checked in and inspected upon presentation at the factory.
- A complete set of photos will be taken at check in.
- Any deficiencies will be noted and estimate will be provided to the customer for anything not specifically covered herein.
- Any necessary changes will be confirmed at that time and change orders may be forwarded to the customer for approval.

NOTE: All Old Parts Are To Be RETURNED To Customer

REMOUNT MODULAR BODY SPECIFICATIONS Bidder Complies YES ___ NO ___

The original Modular body shall be removed from the original chassis and installed onto the chassis specified in this document via the mounting method as described.

The overall modular body, appearance and condition shall remain unchanged except for the specific improvements, options and upgrades, which have been specified elsewhere in this document.

Upon completion the entire vehicle shall be entirely cleaned and detailed to remove dust or debris that may have accumulated during the refitting process.

PREPARATION AND REMOVAL OF BODY FROM ORIGINAL CHASSIS: Bidder Complies YES ___ NO ___

The existing body shall be inspected prior to mounting to new chassis. All electrical components, shall be properly disconnected and documented to allow for installation onto the new chassis.

PREPARE NEW CHASSIS TO ACCEPT BODY: Bidder Complies YES ___ NO ___

The new chassis shall be prepared for mounting of the existing Ambulance body utilizing original manufacturer's methods of body to chassis frame attachments. No components mounted or located on or in the old chassis are to be transferred to the new chassis except for those components specifically indicated for transfer within this document.

BODY MOUNTING Bidder Complies YES ___ NO ___

Body shall be mounted to the new chassis utilizing the original method of mounting. Type III Ambulance Bodies shall be mounted via ten (10) high strength 5/8" bolts, (5) on each side. Such bolts shall secure to the frame via required rubber mounting dounuts.

CAB TO BODY SEAL: Bidder Complies YES ___ NO ___

A new cab to body seal will be provided prior to remounting body to chassis.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

GAS FILL: Bidder Complies YES ___ NO ___

The gas filler hose and neck shall be installed following Ford QVM Guidelines using the existing opening on the side of the body. The gas cap shall be a twist and turn type.

EXTERIOR DOORS: Bidder Complies YES ___ NO ___

All exterior doors shall be checked for proper operation. Any deficiencies will be reported to the customer.

REPLACE EXISTING TRIMARK HANDLE: Bidder Complies YES ___ NO ___

Existing entrance door Trimark handle shall be replaced with new handle.

Number of doors (2); Location: Both Rear Doors

REPLACE EXISTING ENTRANCE DOOR HARDWARE: Bidder Complies YES ___ NO ___

Existing entrance door hardware shall be replaced with new. Specify door:

Number of doors (1)

Location: Side Body Entrance Door

Replace All Handles, Latches, Strikers. Existing Rods and Clevises will be re used

ELECTRIC DOOR LOCK ACTUATOR- INSTALL NEW: Bidder Complies YES ___ NO ___

A new electric door actuator shall be installed as listed below; the actuator shall be electrically tied to the door open circuit.

Number of doors: (2)

Entrance: (1) Compartment (1)

Location(s): Rear Entrance Door, Left Front Compartment Door

REPLACE EXISTING ENTRANCE DOOR GAS SHOCK: Bidder Complies YES ___ NO ___

The existing entrance door gas shock hold open device shall be replaced with new.

REPLACE EXISTING COMPARTMENT DOOR GAS SHOCK: Bidder Complies YES ___ NO ___

The existing compartment door gas shock hold open device(s) shall be replaced with new.

Qty: (1); Location: L2 (Rear Door)

REPLACE REAR ENTRANCE DOOR HOLDER, "GRABBER": Bidder Complies YES ___ NO ___

The existing Cast Products, Grabber rear door holder device shall be replaced with new. This device shall hold the door at approximately 170 degrees. The door holders shall be securely bolted to the vehicle substructure of the body.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

REUSE -PULL OUT TRAY FOR BATTERIES

Bidder Complies YES ___ NO ___

In order to mount the (2) OEM vehicle batteries, the existing pull out tray shall be reused, which is located in the lower section, of the right forward exterior compartment. If Not equipped with a DUAL tray or the existing tray cannot be used, an estimate for a new tray will be provided

SECURING DEVICES FOR EQUIPMENT

MOUNTING HANGER FOR SCOOP STRETCHER:

Bidder Complies YES ___ NO ___

A rubber coated "Ferno EXL" Scoop hanger shall be provided for hanging of a Ferno Washington #65 Scoop Stretcher or Ferno #65 EXL Scoop Stretcher.

Location: Compartment "E", Replace Existing

REAR LIFT UP STEP

Bidder Complies YES ___ NO ___

A New full length reinforced rear bumper shall be installed on the rear of the vehicle. The bumper shall be fabricated from 3" aluminum channel and securely bolted to the vehicle frame using high strength, grade 8, 1/2" bolts. The bumper shall have contoured ends and be covered with polished aluminum diamond plate end caps.

The rear step bumper shall incorporate a 48" lift up center section made of open grid, Grip-Strut safety grating. The grip strut shall hinge on a full length stainless steel piano hinge.

NOTE: All bidders are to include an allowance in the amount of \$1,200.00 to be used as need for repairs or replacement of the rear step assembly.

DIAMOND PLATE ACCESSORIES:

Bidder Complies YES ___ NO ___

All the original aluminum diamond plate accessories on both the interior and exterior of the original Modular Body shall be left untouched unless specific upgrades are called out in this document.

CAB RUNNING BOARDS:

Bidder Complies YES ___ NO ___

Polished aluminum NFPA Certified diamond plate running boards shall be installed on both cab entrance step areas. The running boards shall have a 2" bent outside flange for strength, and be bolted to the lower cab rocker panel. The running boards shall incorporate into the design an aluminum wheel splash guard on the forward edge, for protection from the front wheel splash.

UNDERCOAT:

Bidder Complies YES ___ NO ___

The cab of the vehicle shall be undercoated using an automotive protective coating and sound deadener.

EXTERIOR SPECIAL INSTRUCTIONS:

SIDE DOOR MANUAL PULL OUT STEP:

Bidder Complies YES ___ NO ___ }

The existing manual pull out step at the side entrance door is to be removed and replaced with new.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

EXTERIOR BODY WINDOWS

BODY WINDOWS: Bidder Complies YES ___ NO ___

All Windows shall be inspected for cracks and scratches. Any sliding windows will be checked for operation. Windows seals will be checked. Any deficiencies will be reported to the purchaser.

INTERIOR (BODY): Bidder Complies YES ___ NO ___

The interior of the Modular Body shall remain unchanged except for the specific items call out within this document

EXTERIOR SPECIAL INSTRUCTIONS:

INTERIOR BULKHEAD MODIFICATION: Bidder Complies YES ___ NO ___

The existing walkthrough door shall be removed and a finished closeout panel will be installed in its place. There shall be a pass through opening provided in the close out panel. Relocate Existing Engel Cooler From Lower RF/ISOS To Floor In Area Of Old Walk-Thru, Includes 12v Power Source and 110v outlet

GLOVE STORAGE CABINET OVER REAR DOORS: Bidder Complies YES ___ NO ___

Remove the existing head bumper over the rear doors. Re-Construct a new head bumper centering the clock and adding a glove box storage cabinet(s), (1) on each side of the clock. The cabinet shall include a hinged Lexan door (s) with hole(s) cut to access gloves.

RIGHT SIDE SQUAD BENCH

SQUAD BENCH, CURB SIDE: Bidder Complies YES ___ NO ___

The curb side squad bench shall be inspected. Any deficiencies shall be reported to the purchaser.

SQUAD BENCH, CURB SIDE: Bidder Complies YES ___ NO ___

There will be no change to the curb side squad bench.

INTERIOR UPHOLSTERY

UPHOLSTERED INTERIOR HEAD BUMPERS: Bidder Complies YES ___ NO ___

All interior upholstery shall be inspected. Any deficiencies shall be noted to the purchaser.

UPHOLSTERED INTERIOR HEAD BUMPERS: Bidder Complies YES ___ NO ___

The interior head bumpers shall remain untouched unless specified.

LIFE SUPPORT STATION Bidder Complies YES ___ NO ___

The Rear Life Support Station Will Remain Unchanged Unless Specified

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

REAR CABINETS

REAR CABINERY Bidder Complies YES ___ NO ___

All rear cabinetry will be inspected. Any deficiencies will be reported to the customer.

INTERIOR CABINET DOORS

REAR CABINET DOORS Bidder Complies YES ___ NO ___

All rear cabinet doors will be inspected. Any deficiencies will be reported to the customer.

INTERIOR GRAB RAILS

GRAB RAIL RETENTION: Bidder Complies YES ___ NO ___

All ceiling grab rails installed in the ambulance shall meet the requirements of the A.M.D grab rail retention test. Test documentation shall be provided upon request.

Any loose handles will be re-torqued as required. Any missing hardware shall be noted.

SEAT BELTS Bidder Complies YES ___ NO ___

The existing seat belts will be inspected for proper operation and wear. The customer will be advised of any deficiencies found.

COT MOUNTING Bidder Complies YES ___ NO ___

The existing cot mounts shall be retained and re-used.

HIGH BACK ATTENDANT SEAT: Bidder Complies YES ___ NO ___

The existing High back Attendant seat the existing seat shall be re-used.

ATTENDANT SEAT REPAIR: Bidder Complies YES ___ NO ___

Replace missing forward/aft lever from existing rear facing attendant seat.

FLOOR COVERING: Bidder Complies YES ___ NO ___

The existing floor covering shall not be removed.

DRIVERS CAB CONSOLE

TRANSFER OF CAB CONSOLE: Bidder Complies YES ___ NO ___

When possible, the transfer of the Cab console and components located within the console will be moved to the new chassis, provided there are no compatibility issues. This includes the transfer of any self-contained communication radios, and or radio equipment.

If there are compatibility issues, the customer will be given a quote for the necessary changes required

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

TRANSFER OF RADIO CONSOLE:

The transfer of the radio console (Pod) shall be provided and re-installed to the front section of the engine cover switch console. This includes the transfer of the Pod with its existing Self Contained, radios and the existing radio wiring. All original wiring shall be "run" to the location only. There shall be no power connection or antenna installation.

MAP BOX W/CUP HOLDERS: Bidder Complies YES ___ NO ___

A map box shall be fabricated and installed between the front cab seats. The box shall be fabricated and laminated white on the interior and black on the exterior. The map box shall have a storage slot between itself and the rear walk-thru opening to store a binder and/or maps. There shall be two lexan dividers in the storage slot. The area between the radios and the rear map slot shall include two (2) 3 3/4" holes for cup holders.

INTERIOR MOUNTED EQUIPMENT

"FASTEN SEAT BELT" AND "NO SMOKING" SIGNS: Bidder Complies YES ___ NO ___

Two (2) large face "No Smoking" signs and one (1) Fasten Seat Belt sign shall be installed in the patient compartment of the ambulance.

OXYGEN AND SUCTION SYSTEM:

TEST OXYGEN AND SUCTION SYSTEMS: Bidder Complies YES ___ NO ___

The existing Oxygen and suction systems shall be tested and verified for proper operation. Any deficiencies shall be noted and the customer shall be notified.

ELECTRICAL SYSTEMS:

ELECTRICAL WIRING SCHEMATICS: Bidder Complies YES ___ NO ___

The electrical wiring diagrams will be updated to show the new or added features and provided at delivery. All electric schematics will be updated as needed and provided with the unit when delivery is made.

MODULE DISCONNECT IGNITION CONTROLLED: Bidder Complies YES ___ NO ___

A high current disconnect device shall be installed per the requirements of KKK-A-1822 to power all ambulance vehicle conversion and modular body functions. The device shall be activated by the chassis ignition signal, and shall have a 5 minute off delay for module functions when the chassis ignition switch is turned off

Includes new TST five minute time out module.

CHECK ELECTRICAL SYSTEM: Bidder Complies YES ___ NO ___

The electrical system in the ambulance shall be checked over for proper operation. The customer shall be notified of any electrical items that are problematic or do not function properly.

Deficiencies will be noted and a quote for repairs will be forwarded to the customer for approval for necessary work to be performed.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

INSTALL NEW WIRE HARNESS: Bidder Complies YES ___ NO ___

A new under hood wire harness shall be installed in the chassis. The harness will not be removed or transferred from the existing (used) chassis.

UPDATE ELECTRICAL INTERFACE: Bidder Complies YES ___ NO ___

All Ford Units require the proper upgrades to comply with the QVM standard. Any upgrades will be performed as required by Ford that are in effect at the time of the remount.

CAB AND CHASSIS ELECTRICAL MODIFICATIONS

ALTERNATOR: Bidder Complies YES ___ NO ___

The alternator shall be provided and installed by the Chassis Manufacturer. The charging system shall not be modified in any way to void its warranty.

BATTERIES: Bidder Complies YES ___ NO ___

The batteries shall have the required ratings as specified by Ford Motor Company, 1500 CCA total. Two (2) high cycle, heavy duty truck batteries shall be provided in the right front exterior compartment below floor level on a pull out tray. Battery tray shall lock in the "in" position and be sealed from the upper area of the compartment.

MODULE DISCONNECT IGNITION CONTROLLED: Bidder Complies YES ___ NO ___

A high current disconnect device shall be installed per the requirements of KKK-A-1822 to power all ambulance vehicle conversion and modular body functions. The device shall be activated by the chassis ignition signal, and shall have a 5 minute off delay for module functions when the chassis ignition switch is turned off

DELETION OF AMMETER CIRCUIT: Bidder Complies YES ___ NO ___

Where applicable, the existing ammeter and its circuitry shall be eliminated due to QVM restrictions. A low voltage alarm with monitor lights will be installed.

HELLA GOOSENECK LIGHT: Bidder Complies YES ___ NO ___

A "Hella" gooseneck light with 7" flexible shaft shall be permanently installed in the driver's console. The light shall have a swivel head and an on/off switch located at the light. A separate removable red filter lens shall be provided.

ELECTRONIC THROTTLE, FORD: Bidder Complies YES ___ NO ___

The Ford Chassis shall be equipped with an electronic throttle device which is specifically designed for use in emergency vehicles. The unit shall be added to the chassis provided by Ford. The unit shall be mounted in a concealed location in the under side of the drivers switch console.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

HOURMETER: Bidder Complies YES ___ NO ___

The engine Hour meter shall be remain as is currently installed and not replaced

BODY DOOR LOCKS TIED TO CAB Bidder Complies YES ___ NO ___

The existing body electric door locks not currently tied in to the cab door lock system shall be tied to the cab electric locks.

POWER DOOR LOCKS OVERRIDE SWITCH: Bidder Complies YES ___ NO ___

A concealed emergency override switch shall be provided and located in the front grill area.

EMERGENCY WARNING SYSTEMS

CHECK TRAFFIC PRE-EMPTION SYSTEM: Bidder Complies YES ___ NO ___

Any traffic pre-emption system on the ambulance shall be checked over for operation. The customer shall be notified if it does not function properly. Operation test only, no frequency test will be performed.

Deficiencies will be noted and the customer will be notified. Emitters will be checked for operation only, not specific frequencies.

HEADLIGHT WARNING SYSTEM

EXISTING HEADLIGHT FLASHER: Bidder Complies YES ___ NO ___

The existing headlight flasher shall be transferred to the new remount.

TRANSFER EXISTING SIREN: Bidder Complies YES ___ NO ___

The existing siren shall be transferred.

SIREN SPEAKER SYSTEM

IN THE BUMPER SIREN SPEAKER SYSTEM: Bidder Complies YES ___ NO ___

Two (2) Cast Products SAD4319/SAP4319 Speaker assemblies shall be installed in the front bumper of the vehicle. The system shall include two (2) 100 speaker drivers and be mounted per Manufacturers recommendations and instructions.

REAR TRAFFIC ADVISOR: Bidder Complies YES ___ NO ___

The rear traffic advisor shall be tested and checked for proper operation. Any deficiency will be reported to the customer.

CHECK FUNCTIONS OF EXTERIOR BODY LIGHTS Bidder Complies YES ___ NO ___

All exterior body mounted lights shall be checked over for proper operation. Any deficiencies will be reported to the customer.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

WHELEN FLASHING WARNING LIGHTS, GRILL: Bidder Complies YES ___ NO ___

The vehicle shall be equipped with Whelen 500 Series Linear LED flashing warning lights.

The lights shall be placed in the grille of the vehicle in a Cast Products housing spaced a minimum of 18" apart on center. The color shall be red.

WHELEN FLASHING WARNING LIGHTS, INTERSECTION: Bidder Complies YES ___ NO ___

The existing 3 x 7 lights shall be transferred from the old chassis.

EXTERIOR VEHICLE LIGHTS AND EQUIPMENT

NON-EMERGENCY LIGHTING: Bidder Complies YES ___ NO ___

All non-emergency lighting will be check for proper operation. Any deficiencies will be reported to the customer..

MARKER/CLEARANCE LIGHTS: Bidder Complies YES ___ NO ___

LED Style Marker and Clearance lights shall replace the existing lamps on the body and must meet all Federal lighting requirements FMVSS 108.

Qty:(5)

CLIMATE CONTROL SYSTEM: Bidder Complies YES ___ NO ___

The Ambulance Climate Control System in the chassis, shall only function when the vehicle is in the run mode. This shall be done to reduce the electrical load on the vehicle when the engine is not running.

CLIMATE CONTROL, AIR CONDITIONING HOSES Bidder Complies YES ___ NO ___

New hoses for the air conditioning system shall be provided to the existing central climate control unit. The hoses shall connect at the OEM Auxiliary A/C connections. Hoses shall be EPDM . The use of lesser quality hoses or silicone hose is an unacceptable substitution. All air conditioner hoses shall be heavy duty type and have machine crimped ends.

The air conditioning system shall be re-charged with R134 to provide proper cooling in the cab and in patient compartment.

CLIMATE CONTROL, AIR CONDITIONING Bidder Complies YES ___ NO ___

The rear air conditioner shall have the "Expansion Block" replaced with new and a new accumulator shall be installed. The accumulator is added to the existing system if not already in place.

CLIMATE CONTROL, HEATER HOSES Bidder Complies YES ___ NO ___

New hoses for the primary central ducted heat unit shall be provided to the existing climate control unit. The hoses shall connect at the OEM Auxiliary Heater connections on the back of the cab. Hoses shall be EPDM as required by Ford QVM. The use of lesser quality hoses or silicone hose is an unacceptable substitution. New coolant shall be added to the proper level. A new heat valve will be installed.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

RECHARGE AIR CONDITIONING SYSTEM: Bidder Complies YES ___ NO ___

Prior to delivery of completed unit, the air conditioning system shall be re-charged as required to provide proper cooling in the cab and in patient compartment.

AUXILIARY COOLANT PUMP CLIMATE CONTROL SYSTEM: Bidder Complies YES ___ NO ___

The auxiliary coolant pump shall be replaced. The pump shall be exactly sized to provide required heat to rear unit, while not reducing the effective heat in the vehicle cab. The pump shall be controlled by the vehicle climate control system thermostat. The existing valves shall be replaced with electric ones.

Replaces existing rear water pump in box of compartment "A". Existing water valves will be replaced with new, electric ones.

INTERIOR AND COMPARTMENT UTILITY LIGHTING

INTERIOR LIGHTING: Bidder Complies YES ___ NO ___

All interior lighting shall be tested for proper operation. Any deficiencies shall be noted and forwarded to the customer.

COMPARTMENT LIGHTING: Bidder Complies YES ___ NO ___

All compartment lighting shall be tested for proper operation. Any deficiencies shall be noted and forwarded to the customer.

RADIO INSTALLATION: Bidder Complies YES ___ NO ___

Radios will be transferred from existing unit.

115 VOLT AC ELECTRICAL: Bidder Complies YES ___ NO ___

The 115 Volt system shall be tested for proper operation.

SHORELINE POWER / BATTERY CHARGER INDICATOR LIGHTS; Bidder Complies YES ___ NO ___

Dual operation 1/4" diameter indicator lights shall be installed to indicate both live power of the shoreline and battery charger "charging". This shall be located at the shoreline input connector. The "Live Power Shoreline" indicator shall be an amber neon indicator and the "Battery Charger" indicator shall be a green LED. The neon, 115 volt indicator shall indicate power has reached the interior outlets, not just the shoreline.

TEST INVERTER Bidder Complies YES ___ NO ___

If the vehicle is equipped with an inverter, it shall be tested for proper operation. The customer is to be advised of any deficiencies.

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

PAINT CORROSION PROTECTION: Bidder Complies YES ___ NO ___

All exterior fastener locations that penetrate the paint on the modular body, that are removed during the process of remounting or repainting, are to be treated with Electrolysis Corrosion Kontrol (ECK). Every external fastener hole shall have ECK sprayed into the hole for full coverage. The perimeter of the hole shall be covered with a minimum of .5 diameter of ECK. This is to protect the head of the fastener from touching the painted surface. All applications of ECK are to take place before component mounting. The fasteners that are included in this process are for the following components: Lights, Hinges, Diamond plate panels, Fuel fill, License plate holder, Rain Gutters, Rub Rails, Fenderettes and Door Grabbers.

Additional items that are mounted to the painted body will also be included. If an item is cut into the body causing an unpainted edge, that unpainted edge shall be completely coated with ECK prior to component mounting.

NO BODY REPAINT: Bidder Complies YES ___ NO ___

There shall be No Paint work to be performed on the original modular Body

BODYWORK: Bidder Complies YES ___ NO ___

Actual cost of body work or repairs to be determined at time of vehicle inspection and added to the price of the vehicle.

NOTE: All bidders are to include an allowance in the amount of \$2,000.00 to be used as needed for body/paint repairs

DETAIL EXTERIOR FINISH: Bidder Complies YES ___ NO ___

The body will be completely detailed and buffed. This will clean all surface scuffs and scratches as best as possible.

This does not include any paint or body repairs, does Not Include Any Lettering or Graphics.

CAB PAINT : Bidder Complies YES ___ NO ___

The cab color shall remain OEM manufacturers Cab color as specified in the chassis spec portion of this document

PAINT STRIPE ON CAB Bidder Complies YES ___ NO ___

A single beltline paint stripe shall be painted on the new cab/chassis, while retaining the OEM color as the "primary color"

VEHICLE LETTERING

REFLECTIVE LETTERING: Bidder Complies YES ___ NO ___

The vehicle shall be provided with custom reflective lettering prior to the delivery of the unit. The lettering shall be finalized at the pre-construction conference prior to remount of the body.

REFLEXITE REFLECTIVE 2-COLOR CHEVRON DESIGN ON REAR BODY, 6": Bidder Complies YES ___ NO ___

A Reflexite, chevron stripe shall be installed on the rear body of the vehicles outside **flat panels only, excluding the rear door(s). The applied materials shall be Reflexite V98 Reflective Sheeting. The two colors are Red#12 and Fluor Lime#L2.

Note: **does not include any curved surfaces, such as the coves, or door trim

VILLAGE OF AMITYVILLE
Emergency Vehicle Remount Specifications

REMOUNTER DISPOSAL OF EXISTING (old) CHASSIS: Bidder Complies YES ___ NO ___

The disposal of the original chassis from the manufacturer's facility and is the responsibility of the manufacturer. The used chassis will not be placed in a "sellable" condition. The vehicles lights and controls affected by the Remount removal shall NOT be refitted to normal function for road ability.

Title for the used chassis will be available at time of new remount delivery.

REMOUNT WARRANTY: Bidder Complies YES ___ NO ___

The vendor shall specify the warranty for the remount. A minimum of 3-YEAR OR 36,000 MILE WARRANTY on all conversion work completed.

EXTENDED LIFETIME STRUCTURAL WARRANTY: Bidder Complies YES ___ NO ___

The existing lifetime structural warranty will be extended and must be certified by the original manufacturer of the vehicle.

PREP, CLEAN AND DETAIL VEHICLE:

The New Remount vehicle shall be cleaned and detailed both inside and out, for final delivery.

FINAL DELIVERY: Bidder Complies YES ___ NO ___

The remounted vehicle shall be cleaned and detailed both inside and out for final delivery. All New York State Motor Vehicle paperwork shall be completed by the selling New York State Licensed Dealer. Upon the request of this organization the dealer will provide new plates/registration and/or a complete transfer of existing plates/registration. No exceptions to these requirements.

END OF SPECIFICATIONS:

All exceptions MUST be noted with page number and paragraph heading. A detailed explanation must accompany all exceptions even if you feel your proposal exceeds what has been called for. NO EXCEPTIONS.

BID PAGE

Bid Price for Emergency Vehicle Remount Detailed in Preceding Specifications

Amount in figures: \$ _____

Amount in words:

Please have a Company Official sign in ink in the space provided below. Unsigned bids will be considered incomplete and may be rejected.

It is agreed by the undersigned bidder that the signing of this bid represents the bidder's acceptance of the terms and conditions of the attached specifications and provisions. Unless otherwise stated by the bidder, signing of this bid represents full acceptance of these specifications as written and the bidder will be responsible for providing the work and material exactly as specified. The bidder further agrees that this bid will be valid and firm for forty-five (45) calendar days after the date of the bid opening. If awarded by the Village, this page will represent the agreement between both parties after which a formal contract may be required.

SIGNED:
(Must be signed by a company official)

CORPORATE SEAL

COMPANY: _____

ADDRESS: _____

NOTARY: _____

**NON-COLLUSIVE BIDDING CERTIFICATION
SECTION 103-D GENERAL MUNICIPAL LAW**

THE APPROPRIATE SECTION OF THIS PAGE MUST BE SIGNED BY ALL BIDDERS

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of his knowledge and belief:

1. The prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any competitor;
2. Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder prior to opening, directly, or indirectly to any other bidder or to any competitor; and
3. No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

I hereby affirm under the penalties of perjury that the foregoing statement is true.

Legal Name of Person/Firm/Corporation
(if Principal is a Corporation)

Affix Seal

By _____

IF A CORPORATION

The following is a certified copy of a resolution authorizing the execution of this certificate by the signatory of this bid or proposal in behalf of the corporate bidder, resolved that _____ be authorized to sign and submit the bid proposal of this corporation for the project on items described herein, in the Notice to Bidders, Bid #16-A-01 and to include in such bid or proposal the Certificate as to Non-Collusion required by Section 103-D of the General Municipal Law as the act and deed of such corporation, and for any inaccuracies or misstatement in such certificate this corporate bidder shall be liable under the penalties of perjury.

The foregoing is a true and correct copy of the resolution adopted by _____

corporation at a meeting of its Board of Directors held on the ____ day of _____, 2016

Attested to: _____
Officer of Corporation

Corporate Seal

DISCLOSURE STATEMENT

Name of Contractor

I, _____ the *(applicant herein), (an officer or agent of the corporate applicant) namely its _____ *(swears) or (affirms) under the penalties of perjury that:

1. The following persons have a direct or indirect interest in this bid:

NAME	ADDRESS
_____	_____
_____	_____

In the case of corporations, all officers of the corporation and stockholders owning more than 5% of the corporate stock must be listed; attach an additional sheet, if necessary

2. The following persons listed in (1) above are related by blood or marriage to an officer or Employee of the Village of Amityville:

NAME	RELATIONSHIP	NAME/POSITION EMPLOYEE/OFFICER
_____	_____	_____
_____	_____	_____
_____	_____	_____

3. The following persons listed in (1) above are state or local officers or employees, or members of a board of commissioners or local public authorities, or other public corporation within Nassau/Suffolk Counties (exclusive of a volunteer fireman or civil defense volunteer):

NAME	EMPLOYEE	POSITION
_____	_____	_____
_____	_____	_____

False statements made herein are punishable as a Class A misdemeanor pursuant to 210.45 of the Penal Law.

_____ Legal Name of Person/Firm/Corporation

By: _____

*Delete phrases that are not applicable

Location of service center the vehicle is to be remounted in:

Company Name: _____

Street Address: _____

City/State/Zip: _____

Telephone: _____

Length of time in business: _____ Years